

Report No. 47A

# PETROLEUM DESULFURIZATION

Supplement A

by GEORGE T. STEVENIN

July 1975

A private report by the

PROCESS ECONOMICS PROGRAM

STANFORD RESEARCH INSTITUTE



MENLO PARK, CALIFORNIA

## CONTENTS

1	INTRODUCTION . . . . .	1
2	SUMMARY . . . . .	3
3	INDUSTRY STATUS . . . . .	7
4	HYDRODESULFURIZATION OF NAPHTHAS AND DISTILLATES . . . . .	13
	Chemistry . . . . .	13
	Reaction Variables . . . . .	14
	Review of Processes . . . . .	14
	Discussion of Patents . . . . .	15
	Process Description . . . . .	17
	Process Discussion . . . . .	17
	Cost Estimates . . . . .	26
5	HYDRODESULFURIZATION OF GAS OIL . . . . .	29
	Chemistry . . . . .	29
	Reaction Variables . . . . .	31
	Review of Processes . . . . .	34
	Discussion of Patents . . . . .	35
	Process Description . . . . .	41
	Process Discussion . . . . .	45
	Cost Estimates . . . . .	46
	Capital Costs . . . . .	46
	Production Costs . . . . .	46
	Industry Costs . . . . .	47
	Costs Discussion . . . . .	55
6	HYDRODESULFURIZATION OF RESIDUAL OIL . . . . .	57
	Chemistry . . . . .	57
	Reaction Variables . . . . .	58
	Feed Properties . . . . .	58
	Catalyst Characteristics . . . . .	63
	Temperature . . . . .	77
	Hydrogen Partial Pressure . . . . .	82
	Hydrogen Consumption . . . . .	86
	H <sub>2</sub> S Concentration in Reactor Effluent . . . . .	89
	Metals Removal . . . . .	89
	LHSV . . . . .	97
	Catalyst Activity . . . . .	102
	Desulfurized Product Properties . . . . .	107
	Other Effects . . . . .	107

## CONTENTS

6	(Continued)		
	Review of Processes . . . . .		107
	Discussion of Licensor Processes . . . . .		113
	Institut Français du Pétrole and BASF Aktiengesellschaft . . . . .		146
	BP Trading Ltd. . . . .		146
	Chevron Research Co. . . . .		146
	Exxon Research and Engineering Co. and Union Oil of California . . . . .		147
	Gulf Research and Development Co. . . . .		147
	Standard Oil Co. (Indiana) . . . . .		148
	Universal Oil Products Co. . . . .		148
	Cities Service Research and Development Co. and Hydrocarbon Research Inc. . . . .		148
	Discussion of Patents . . . . .		150
	Gulf Research and Development Co. . . . .		151
	Universal Oil Products Co. . . . .		152
	Exxon Research and Engineering Co. . . . .		153
	Shell International Research MIJ N.V. . . . .		153
	Texaco Development Corp., Texaco, Inc. . . . .		154
	Standard Oil Co. (Indiana) . . . . .		154
	Agency of Industrial Science and Technology (Japan) . . . .		155
	Nippon Oil or Japan Oil . . . . .		155
	Other Patents . . . . .		155
	Process Description . . . . .		156
	Process Discussion . . . . .		159
	Cost Estimates . . . . .		162
	Capital Costs . . . . .		162
	Production Costs . . . . .		163
	Industry Costs . . . . .		164
	Institut Français du Pétrole and BASF Aktiengesellschaft . . . . .		165
	BP Trading, Ltd. . . . .		165
	Chevron Research Co. . . . .		165
	Exxon Research and Engineering Co. and Union Oil of California . . . . .		166
	Gulf Research and Development Co. . . . .		166
	Standard Oil Co. (Indiana) . . . . .		167
	Universal Oil Products Co. . . . .		167
	Cities Service Research and Development Co. and Hydrocarbon Research Inc. . . . .		167
7	HYDROCRACKING . . . . .		177
	Introduction . . . . .		177

## CONTENTS

7	(Continued)	
	Chemistry . . . . .	178
	Reaction Variables . . . . .	185
	Review of Processes . . . . .	185
	Discussion of Patents . . . . .	185
	Process Description . . . . .	204
	Process Discussion . . . . .	209
	Cost Estimates and Discussion . . . . .	211
8	DESULFURIZATION OF RESIDUAL OIL BY OTHER PROCESSES . . . . .	215
	Discussion of Patents . . . . .	215
	Reaction with Metals, Especially Metallic Sodium . . . . .	215
	Solvent Extraction and/or Reaction . . . . .	224
	Reaction with Steam or Water or Carbon Monoxide . . . . .	224
	Oxidation . . . . .	225
	Gasification . . . . .	225
	APPENDIX A DESIGN AND COST BASIS . . . . .	227
	APPENDIX B SUMMARY OF RELATED PATENTS AND REFERENCES . . . . .	231
	APPENDIX C LICENSING INFORMATION . . . . .	233
	CITED REFERENCES . . . . .	271
	PATENT REFERENCES BY COMPANY . . . . .	293

## ILLUSTRATIONS

5.1	Gas Oil Desulfurization . . . . .	301
5.2	Gas Oil Desulfurization Total Fixed Capital Versus Plant Capacity . . . . .	51
5.3	Gas Oil Desulfurization Effect of Operating Level and Plant Capacity on Production Cost . . . . .	53
6.1	Reactor Volume Effect on Desulfurization Level . . . . .	60
6.2	Sulfur Compound Reaction Rates in Arabian Light Desulfurization . . . . .	62
6.3	Effect of Relative Hydrogen Partial Pressure on Activity Loss . . . . .	64
6.4	Effect of Desalting on Reactor Pressure Drop in Residuum Hydrodesulfurization . . . . .	65
6.5	Typical Hydrogen Consumptions . . . . .	66
6.6	Hydrogen Consumption . . . . .	67
6.7	Sulfur Distribution . . . . .	68
6.8	Effect of Silica Content . . . . .	69
6.9	Performance of Improved Catalyst . . . . .	70
6.10	Comparison of Hydrodesulfurization Activity Maintenance for Two Catalysts . . . . .	71
6.11	Activity Level Claimed for an Improved Catalyst . . . . .	72
6.12	Metals Removal in Hydrodesulfurization of Atmospheric Residuum . . . . .	73
6.13	Comparison of New and Conventional H-Oil Catalyst, Kuwait Feed . . . . .	74
6.14	Improved Catalyst Test . . . . .	75
6.15	Comparison of Relative Activity for Old and New Catalyst . . . . .	76
6.16	Selectivity for Demetalation in Arabian Light Residuum Desulfurization . . . . .	78
6.17	Effect of Desulfurization on Demetalation of Various Feedstocks . . . . .	79
6.18	Chevron RDS Isomax Desulfurization--Arabian Heavy Atmospheric Residuum, Pilot Plant Data . . . . .	80

## ILLUSTRATIONS

6.19	Desulfurization and Demetalation Kinetics--Effects of Temperature and Particle Size, Atmospheric Residuum from Arabian Heavy Crude . . . . .	81
6.20	Typical RESIDfining Hydrogen Consumption and Catalyst Volume Versus Pressure . . . . .	83
6.21	Typical RESIDfining Investment Versus Pressure . . . . .	84
6.22	Effect of Pressure on RESIDfining Costs for 90% Desulfurization of 700+ Arabian Light . . . . .	85
6.23	Hydrogen Consumption Versus Mass Velocity . . . . .	87
6.24	Effect of Pressure on Demetalation . . . . .	88
6.25	Effect of H <sub>2</sub> S on Reaction Rate Constant, Kuwait Feed . . . . .	90
6.26	Residual Desulfurization Rate Depression by H <sub>2</sub> S . . . . .	91
6.27	Hydrodesulfurization of Residual Oil . . . . .	303
6.28	Desulfurization and Demetalation Kinetics--Atmospheric Residuum from Arabian Heavy Crude . . . . .	92
6.29	Sulfur Content Versus Catalyst Age . . . . .	93
6.30	Incremental Vanadium Deposition Versus Position in Bed . . . . .	94
6.31	Variation of Rate Constant with Catalyst Age . . . . .	95
6.32	Reaction Kinetics Plot for RCD Isomax Processing of Kuwait Reduced Crude . . . . .	98
6.33	Increased Sulfur Removal Requires Decreased Space Velocity . . . . .	99
6.34	Decreased Space Velocity Results in Decreased Temperature at Constant Desulfurization . . . . .	100
6.35	Actual Versus Predicted Temperature Decrease . . . . .	101
6.36	Viscosity Reduction at Different Pressures . . . . .	103
6.37	RESIDfining Process Improvement by New Technology--1% Sulfur Product from Heavy Arabian Residuum at 1000 psig . . . . .	104
6.38	Isomax Desulfurization of Arabian Heavy Crude and Residuum . . . . .	106
6.39	Viscosity Reduction Versus Desulfurization . . . . .	108

## ILLUSTRATIONS

6.40	Effect of Hydrodesulfurization on Viscosity . . . . .	109
6.41	Typical Pour Point Reduction Versus Desulfurization . . . . .	110
6.42	Effect of Staging on Reaction Efficiency of a Completely Mixed Bed Versus Fixed Bed Reactors . . . . .	149
6.43	Hydrodesulfurization of Residual Oil Total Fixed Capital Versus Plant Capacity . . . . .	170
6.44	Hydrodesulfurization of Residual Oil Effect of Operating Level and Plant Capacity on Production Cost . . . . .	174

## TABLES

2.1	Summary of Costs . . . . .	4
2.2	Conditions for Process Evaluations . . . . .	5
3.1	Hydroprocessing Runs in the United States . . . . .	7
3.2	Hydroprocessing Runs in Europe . . . . .	8
3.3	Hydroprocessing Runs in Japan . . . . .	8
3.4	Hydroprocessing Runs in the Western Hemisphere Except the United States . . . . .	9
3.5	Hydroprocessing Runs in the Asia-Pacific Area Except Japan . . . . .	9
3.6	Hydroprocessing Runs in the Middle East . . . . .	10
3.7	Hydroprocessing Runs in Africa . . . . .	10
3.8	Hydroprocessing Runs in the Free World . . . . .	11
3.9	Growth Rates of Hydroprocessing Runs in the Free World . . . . .	11
4.1	Hydrodesulfurization of Naphthas and Distillates Summary of Patents . . . . .	18 18
4.2	Representative Product Cost for Light Fraction Hydrodesulfurization . . . . .	27
5.1	Gas Oil Desulfurization: Molecular Types . . . . .	30
5.2	Hydrodesulfurization of Gas Oils Summary of Patents . . . . .	36
5.3	Gas Oil Desulfurization Stream Flows . . . . .	42
5.4	Gas Oil Desulfurization Major Process Equipment and Utilities Summary . . . . .	43
5.5	Gas Oil Desulfurization Process Unit and Utilities Investment . . . . .	49
5.6	Gas Oil Desulfurization Total Capital Investment . . . . .	50
5.7	Gas Oil Desulfurization Production Costs . . . . .	52
5.8	Gas Oil Desulfurization Industry Costs . . . . .	54



## TABLES

6.1	Comparison of Commercial Catalyst Activity, H <sub>2</sub> Consumption, and Deactivation Rate with Pilot Plant Measurement and Correlation . . . . .	59
6.2	Comparison of Commercial Performance Test and Pilot Plant Demonstration Data . . . . .	59
6.3	Properties of Typical Residual Oils . . . . .	61
6.4	Effect of Temperature on Demetalation . . . . .	82
6.5	Used Catalyst Analysis . . . . .	96
6.6	Hydrodesulfurization of Residual Oil Summary of Patents . . . . .	114
6.7	Hydrodesulfurization of Residual Oil Stream Flows . . . . .	158
6.8	Properties of Typical Feeds for Desulfurization . . . . .	161
6.9	Hydrodesulfurization of Residual Oil Process Unit and Utilities Investment . . . . .	168
6.10	Hydrodesulfurization of Residual Oil Total Capital Investment . . . . .	169
6.11	Hydrodesulfurization of Residual Oil Major Process Equipment and Utilities Summary . . . . .	171
6.12	Hydrodesulfurization of Residual Oil Production Costs . . . . .	173
6.13	Hydrodesulfurization of Residual Oil Capital Investment: Desulfurization of Kuwait Atmospheric Residuum . . . . .	175
6.14	Hydrodesulfurization of Residual Oil Production Cost: Desulfurization of Kuwait Atmospheric Residuum . . . . .	176
7.1	Hydrocracking Unicracking-JHC of Heavy Virgin Gas Oil . . . . .	180
7.2	Hydrocracking Propane-Butane Production from Light and Heavy Naphthas . . . . .	181
7.3	Hydrocracking Hydrocracking for Isobutane Production . . . . .	182
7.4	Hydrocracking Properties of Feed and Light Naphtha . . . . .	183

## TABLES

7.5	Hydrocracking Heavy Naphtha Quality . . . . .	184
7.6	Hydrocracking Summary of Patents . . . . .	186
7.7	Hydrocracking 375°F+ HDS Product Properties . . . . .	206
7.8	Hydrocracking HDS Unit Yields and Hydrogen Consumption . . . . .	207
7.9	Hydrocracking Atmospheric Residue Light Hydrocarbon Yield . . . . .	208
7.10	Hydrocracking FCC Unit Yields--Processing Kuwait HDS Residua . . . . .	210
7.11	Hydrocracking Production Cost for Hydrocracking Kuwait Atmospheric Residuum to Light Hydrocarbons . . . . .	213
8.1	Desulfurization of Residual Fuel by Other Processes Summary of Patents . . . . .	216
B.1	Summary of Related Patents on Hydrodesulfurization . . . . .	232