

Report No. 86

HIGH TEMPERATURE POLYMERS

by LLOYD M. ELKIN

August 1973

A private report by the

PROCESS ECONOMICS PROGRAM

STANFORD RESEARCH INSTITUTE



MENLO PARK, CALIFORNIA

CONTENTS

| | | |
|---|---|----|
| 1 | INTRODUCTION | 1 |
| 2 | SUMMARY | 3 |
| | General Aspects | 3 |
| | Economic Aspects | 6 |
| | Technical Aspects | 8 |
| | Polypyromellitimide of 4,4'-Oxydianiline | 11 |
| | Polyamide-acid from Trimellitic Anhydride and 4,4'-Methylenedianiline | 11 |
| | Modified Polyphenylene Oxide | 12 |
| | Physical Properties | 13 |
| 3 | INDUSTRY STATUS | 15 |
| | Polyimides | 15 |
| | Polyamide-imides | 16 |
| | Polyphenylene Oxides | 17 |
| | Prices | 17 |
| 4 | CHEMISTRY | 19 |
| | Polypyromellitimide of 4,4'-Oxydianiline | 19 |
| | Polyamide-imides | 22 |
| | Polyphenylene Oxide | 23 |
| 5 | POLYIMIDES | 29 |
| | Introduction | 29 |
| | Review of Patents | 30 |
| | Raw Materials | 52 |
| | Raw Material Purity | 52 |
| | Film | 52 |
| | Fibers | 54 |
| | Molded Objects | 54 |
| | Composite Structures | 59 |
| | Foams, Wire Coatings, and Adhesives | 59 |
| 6 | POLYPYROMELLITIMIDE OF 4,4'-OXIDIANILINE FROM PYROMELLITIC DIANHYDRIDE AND 4,4'-OXYDIANILINE PRODUCTION OF MOLDING POWDER | 61 |
| | Process Description | 61 |
| | Process Discussion | 73 |
| | Product Specifications | 73 |
| | Purity of Raw Materials | 74 |

CONTENTS

| | | | |
|---|--|---|-----|
| 6 | (Continued) | | |
| | | Overall Yield | 75 |
| | | Benzene Instead of Toluene | 75 |
| | | Reaction Temperature | 75 |
| | | Feed Mol Ratio | 76 |
| | | Acetic Acid | 76 |
| | | Alternate Process Design | 76 |
| | | Cost Estimates | 79 |
| | | Capital Costs | 79 |
| | | Production Costs | 79 |
| | | Capital and Production Costs for Alternate Process Design | 81 |
| | | Polyamide-acid Solutions, Polyimide Film, and Polyimide Molded Objects | 81 |
| | | List Prices of Other Raw Materials | 82 |
| 7 | POLYAMIDE-IMIDES | | 89 |
| | | Introduction | 89 |
| | | Review of Processes | 90 |
| 8 | POLYAMIDE-IMIDE FROM TRIMELLITIC ANHYDRIDE AND 4,4'- METHYLENEDIANILINE PRODUCTION OF POWDER AND SOLUTIONS OF THE POLYAMIDE-ACID | | 101 |
| | | Process Description | 101 |
| | | Process Discussion | 115 |
| | | Batch Sizes | 115 |
| | | Yields | 115 |
| | | Solubility of 4-CFPA | 115 |
| | | Leaching | 116 |
| | | Water Recycle | 116 |
| | | Nitrogen | 116 |
| | | Drying | 116 |
| | | Cost Estimates | 117 |
| | | Capital Costs | 117 |
| | | Production Costs | 117 |
| | | Price | 118 |
| 9 | POLYESTER-IMIDES AND POLYESTER-AMIDE-IMIDES | | 123 |

CONTENTS

| | | |
|----|--|-----|
| 10 | POLYPHENYLENE OXIDE AND MODIFIED POLYPHENYLENE OXIDES FROM 2,6-DIMETHYLPHENOL | 127 |
| | Review of Patents | 127 |
| | General Reaction Conditions | 153 |
| | Catalyst Systems | 153 |
| | Oxidizing Agent | 154 |
| | Water Removal | 154 |
| | Yields | 154 |
| | Molecular Weight | 154 |
| | Raw Material Purity | 154 |
| | Catalyst Recovery | 155 |
| | Purification of the Polymer | 155 |
| | Stabilization of the Polymer | 155 |
| | Polymer Blends | 155 |
| | Preparation of the Monomer | 156 |
| | Process Description | 159 |
| | Process Discussion | 181 |
| | Alkylation Reactor | 181 |
| | Polymerization Reactor | 181 |
| | Extractor | 183 |
| | Capping Operation | 183 |
| | Polymer Precipitation | 184 |
| | Polymer Blending Operations | 184 |
| | Cost Estimates | 189 |
| | Capital Costs | 189 |
| | Production Costs | 190 |
| | APPENDIX A DESIGN AND COST BASIS | 199 |
| | APPENDIX B PHYSICAL DATA | 205 |
| | APPENDIX C RAW MATERIAL AND PRODUCT SPECIFICATIONS | 207 |
| | APPENDIX D HANDLING AND SAFETY | 221 |
| | CITED REFERENCES | 225 |
| | PATENT REFERENCES BY COMPANY | 263 |

ILLUSTRATIONS

| | | |
|------|---|-----|
| 6.1 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder | 67 |
| 6.2 | Relationship Between Tensile Strength and Strength Index at Room Temperature | 77 |
| 6.3 | Relationship Between Strength Index and PMDA/ODA Weight Ratio | 78 |
| 8.1 | Polyamide-imide from TMA and 4,4'-MDA, Production of Powder and Solutions of the Polyamide-Acid | 105 |
| 10.1 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol | 165 |
| 10.2 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Effect of Operating Level and Plant Capacity on Production Cost | 197 |

TABLES

| | | |
|-----|---|----|
| 2.1 | Chemical Names and Chemical Structures | 1 |
| 2.2 | Summary of Costs | 7 |
| 2.3 | Summary of Process Conditions | 9 |
| 5.1 | Polyimides Patent Summary | 31 |
| 5.2 | Polyimides Probable Raw Materials for Commercial or Semicommercial Polyimides | 53 |
| 5.3 | Molding Conditions for Making Polyimide Molded Objects . . | 55 |
| 5.4 | Comparison of Laminate Properties Prepared from Dry and Tacky Prepregs | 60 |
| 6.1 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Major Process Equipment and Utilities Summary | 65 |
| 6.2 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Stream Flows | 69 |
| 6.3 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Total Capital Investment | 83 |
| 6.4 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Production Costs | 84 |
| 6.5 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Production Costs at Less than Capacity Operation | 85 |
| 6.6 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder Possible Production Cost in the Future | 86 |
| 6.7 | Polypyromellitimide of 4,4'-Oxydianiline from PMDA and ODA, Production of Molding Powder, Alternate Process Design Production Costs | 87 |
| 7.1 | Polyamide-imides Patent Summary | 91 |

TABLES

| | | |
|------|--|-----|
| 8.1 | Polyamide-imide from TMA and 4,4'-MDA, Production of Powder and Solutions of the Polyamide-Acid Major Process Equipment and Utilities Summary | 105 |
| 8.2 | Polyamide-imide from TMA and 4,4'-MDA, Production of Powder and Solutions of the Polyamide-Acid Stream Flows | 109 |
| 8.3 | Polyamide-imide from TMA and 4,4'-MDA, Production of Powder and Solutions of the Polyamide-Acid Total Capital Investment | 120 |
| 8.4 | Polyamide-imide from TMA and 4,4'-MDA, Production of Powder and Solutions of the Polyamide-Acid Production Costs | 121 |
| 9.1 | Polyester-imides and Polyester-amide-imides Patent Summary | 124 |
| 10.1 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Patent Summary | 129 |
| 10.2 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Patent Summary--Production of 2,6-Dimethylphenol | 157 |
| 10.3 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Major Process Equipment and Utilities Summary | 165 |
| 10.4 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Stream Flows | 173 |
| 10.5 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Alkylation Reactor Design Basis | 185 |
| 10.6 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Polymerization Reactor Design Basis | 187 |
| 10.7 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Total Capital Investment | 193 |

TABLES

| | | |
|------|--|-----|
| 10.8 | Polyphenylene Oxide and Modified Polyphenylene Oxides from 2,6-Dimethylphenol Production Costs | 195 |
| C.1 | Vespel [®] Precision Parts Composition Selector Guide (Du Pont) | 209 |
| C.2 | Typical Properties of Vespel [®] Precision Parts (Du Pont) . . | 210 |
| C.3 | Properties of 1-mil Kapton [®] Type H Film (Du Pont) | 212 |
| C.4 | Properties of Solutions of Amoco AI Polymers (in the Polyamide-acid Form) | 214 |
| C.5 | Typical Physical Properties of Amoco Torlon [®] 2000 (Polyamide-imide) | 215 |
| C.6 | Typical Properties of PPO [®] (General Electric) | 217 |
| C.7 | Typical Properties of Noryl [®] (General Electric) | 219 |
| D.1 | Waste Streams | 222 |